



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

CERTIFICATE OF ANALYSIS

NJ11005-NY12046

Project Name: Delanco Center	Workorder: N070473
-------------------------------------	---------------------------

Linda Williams-Barns
 BCCAP - Burlington Co. Community Act
 718 Route 130 South
 Burlington, NJ 08016

Project Name and Number: **Delanco Center**

December 03, 2018

Dear Linda Williams-Barns,

This report relates only to the sample(s) as received by the laboratory. Laboratory reports may not be reproduced, except in full, without the written approval of the laboratory.

The issuance of the final Certificate of Analysis takes precedence over any previous Preliminary Report. Caution is advised for the utilization of preliminary data included in reports labeled as "Preliminary Report" and should not be used for regulatory purposes. A laboratory signature is provided on final reports only.

If you have any questions in reference to this laboratory report, please contact your NJAL project coordinator or laboratory manager listed at the bottom of this report at (609) 737-3477.

Note: This cover page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Laboratory Manager

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

NARRATIVE

Lab Work Order # N070473

BCCAP - Burlington Co Community Action Program
 NJAC 3A:52-5.3 Lead & Copper Testing - Quote 18668
 Delanco Center, BCCAP 2431 Burlington Ave, Delanco NJ - 11/15/18

NJAL received the samples associated with this Chain of Custody in compliance with NJDEP guidelines .

The requested analysis methods and results are detailed in the following data summary report.

Sample collection was performed by the individual indicated on the chain of custody.

Any exception to method procedures are listed in the comments section below,
 or See Data Flags, Notes & Definitions.

Comments:

Sampling Supplies Provided by the Laboratory.
Samples collected by the customer.

Copper: All Samples analyzed for Copper were found to be below the Maximum Contaminant Limit of 1300 ug/L.

Lead: All samples analyzed for Lead were found to be blow the Maximum Contaminant Limit, MCL 15.0 ug/L.



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-01

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 1

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 14:57	11/26/18	1
Copper	247		ug/L	0.297	10.0	EPA 200.8	11/26/18 14:57	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-02
Sample ID: Classroom 1 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	295		ug/L	0.297	10.0	EPA 200.8	11/26/18 14:59	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 14:59	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-03

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 2

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	174		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:00	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:00	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-04
Sample ID: Classroom 2 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	154		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:02	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:02	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-05

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 3

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	176		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:04	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:04	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-06
Sample ID: Classroom 3 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	201		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:05	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:05	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-07

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 4

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:07	11/26/18	1
Copper	178		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:07	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-08
Sample ID: Classroom 4 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	212		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:09	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:09	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-09

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 5

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Copper	252		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:11	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:11	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-10
Sample ID: Classroom 5 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	258		ug/L	0.297	10.0	EPA 200.8	11/26/18 15:12	11/26/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/26/18 15:12	11/26/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-11

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 6

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Copper	267		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:33	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:33	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-12
Sample ID: Classroom 6 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	310		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:35	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:35	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-13

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 7

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Copper	211		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:37	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:37	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-14
Sample ID: Classroom 7 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	209		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:38	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:38	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-15

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 8

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:40	11/27/18	1
Copper	252		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:40	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-16
Sample ID: Classroom 8 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	295		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:42	11/27/18	1
Lead	0.5		ug/L	0.2	0.5	EPA 200.8	11/27/18 12:42	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-17

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 9

Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Copper	334		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:43	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:43	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-18
Sample ID: Classroom 9 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	271		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:45	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:45	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-19
Sample ID: Classroom 10

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	318		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:47	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:47	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-20
Sample ID: Classroom 10 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	321		ug/L	0.297	10.0	EPA 200.8	11/27/18 12:48	11/27/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/27/18 12:48	11/27/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-21
Sample ID: Kitchen Faucet By Stove

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	307		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:45	11/28/18	1
Lead	3.0		ug/L	0.2	0.5	EPA 200.8	11/28/18 14:45	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-22

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Kitchen 2 Compartment

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	186		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:47	11/28/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:47	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-23

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Dishwasher Sink

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:48	11/28/18	1
Copper	259		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:48	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-24

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Water Fountain

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	641		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:50	11/28/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:50	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-25

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Kitchen 3 Compartment Sink

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	195		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:52	11/28/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:52	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-26
Sample ID: Classroom 11

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	561		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:53	11/28/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:53	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-27

Matrix: Drinking Water

Date Collected: 11/15/18 07:30

Sample ID: Classroom 11 Bathroom

Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Copper	498		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:55	11/28/18	1
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:55	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-28
 Sample ID: Classroom 12

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
 Date Received: 11/16/18 14:30

Total Metals

Analyte	Results	Flag	Units	MDL	RDL	Method	Analyzed	Prepared	Dilution
Copper	169		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:57	11/28/18	1
Lead	1.1		ug/L	0.2	0.5	EPA 200.8	11/28/18 14:57	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Lab ID: N070473-29
Sample ID: Classroom 12 Bathroom

Matrix: Drinking Water

Date Collected: 11/15/18 07:30
Date Received: 11/16/18 14:30

Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Dilution</u>
Lead	ND	U	ug/L	0.2	0.5	EPA 200.8	11/28/18 14:58	11/28/18	1
Copper	441		ug/L	0.297	10.0	EPA 200.8	11/28/18 14:58	11/28/18	1

New Jersey Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Robert Hulit, Project Manager



NELAC NJ11005
 EPA NJ01186
 PADEP 68-05417
 NYDOH NY12046
 CTDPH PH-0143



380 Scotch Road
 Ewing, NJ 08628
 609-737-3477 (p)
www.njal.com

Notes and Definitions

U	Compound not detected
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the Reporting Detection Limit (RDL)
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
<	Less than reporting limit
≤	Less than or equal to reporting limit
>	Greater than reporting limit
≥	Greater than or equal to reporting limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
MCL/AL	Maximum Contaminant Level/Action Level
mg/kg wet	Results reported as wet weight
TTL	Total Threshold Limit Concentration
STLC	Soluble Threshold Limit Concentration
TCLP	Toxicity Characteristic Leachate Procedure

All work performed by New Jersey Analytical Laboratories LLC, is subject to our terms and conditions of services viewable at our office and our website: <http://www.njal.com/About-NJAL/Terms-and-Conditions.aspx>

LABORATORY SERVICES

380 Scotch Rd. Building 2 Suite 1B Ewing, NJ 08628 Phone: 609-737-3477 Fax: 609-737-3052 www.NJAL.com or www.InternationalHydronics.com

CHAIN OF CUSTODY

CLIENT: BCCAP - Burlington Co. Community Action Program					PRESERVATIVE					COMMENTS					Collected By: Customer				
CONTACT NAME: Linda Williams-Barns Phone: 267-226-8875															<i>Signature:</i>				
<i>Client Report & Bill to Address:</i> BCCAP - Burlington Co. Community Action Program															<i>Organization:</i>				
718 - Route 130 South, Burlington NJ 08016 Attn: Linda Williams-Barns, Director, Phone: 267-226-8875 Email: lwilliams-barnes@bccap.org															Turn-Around Time: STANDARD				
<i>Project Name:</i> NJ Child Care - N.J.A.C. 3A:52-5.3 - Lead & Copper QUOTE # 18668															Child Care - N.J.A.C. 3A:52-5.3 (2017) - Lead & Copper				
Delanco Center - BCCAP - 2431 Burlington Ave, Delanco, NJ 08075															Cooler Temp $15.4^{\circ}\text{C} + \text{CF} \times 1.8 = 15.5^{\circ}\text{C}$ pH Verified $\text{pH} > 10$ N/A Aq. Pest, pH 5-9 Y N N/A pH Adjustment _____ Chlorine Present Y N N/A ~~~~~VOA Headspace Y N N/A				
Lab Use	Date	Time	Sample Identification	Grab	1st Draw Y/N	Flushed Y/N	Seconds Flushed	H2SO4	HNO3 Nitric Acid	Caustic NaOH	HCL	Un-Preserved, Cool 4°C	Other	Sterile - Sodium ThioSulfate, 4°C					
1	11/15/18	7:30	CLASSROOM 1	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
2			CLASSROOM 2 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
3			CLASSROOM 2	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
4			CLASSROOM 2 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
5			CLASSROOM 3	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
6			CLASSROOM 3 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
7			CLASSROOM 4	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
8			CLASSROOM 4 BATHROOM	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
9			CLASSROOM 5	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
10			CLASSROOM 5 BATHROOM	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)				
			CLASSROOM																
Turn Around Time : Results Due By: Date:								Matrix: DW = Drinking Water, WW =Wastewater, SL = Sludge, S=Soil, SW=Surface H2O, GW = Ground H2O, WST=Waste											
Relinquished by:		Date:	Time:	Received By:				Relinquished by:		Date:	Time:	Received for Laboratory by:							
		11/18/18	12:00									11/18/18							
Lab Use:		Samples Collected by Customer: [X]				Samples Collected By NJAL Field Services []				Samples Delivered to Lab by Customer: []		Samples Delivered to Lab by NJAL Field Services: [X]				Lab Use: Iced: Y / N, Cooler Temp = 17.2 °C			
																Initials: @ NJAL			

LABORATORY SERVICES

380 Scotch Rd. Building 2 Suite 1B Ewing, NJ 08628 Phone: 609-737-3477 Fax: 609-737-3052 www.NJAL.com or www.InternationalHydronics.com

CHAIN OF CUSTODY


CLIENT: BCCAP -Burlington Co. Community Action Program					PRESERVATIVE COMMENTS					Collected By: Customer		pH Verification				
CONTACT NAME: Linda Williams-Barns Phone: 267-226-8875					Lab to preserve samples on receipt.					Signature: _____						
Client Report & Bill to Address: BCCAP -Burlington Co. Community Action Program										Organization: _____						
718 - Route 130 South, Burlington NJ 08016 Attn: Linda Williams-Barns, Director, Phone: 267-226-8875 Email: lwilliams-barnes@bccap.org										Turn-Around Time: STANDARD						
Project Name: NJ Child Care - N.J.A.C. 3A:52-5.3 - Lead & Copper QUOTE # 18668										Child Care - N.J.A.C. 3A:52-5.3 (2017) - Lead & Copper						
Delanco Center - BCCAP - 2431 Burlington Ave, Delanco, NJ 08075																
Lab Use	Date	Time	Sample Identification	Grab	1st Draw Y/N	Flushed Y/N	Seconds Flushed	H2SO4	HNO3 Nitric Acid	Caustic NaOH	HCL	Un-Preserved, Cool 4°C	Other	Sterile - Sodium ThioSulfate, 4°C	ANALYSIS REQUESTED	
11	11/15/16	7:30	CLASSROOM 6	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
12			CLASSROOM 6 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
13			CLASSROOM 7	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
14			CLASSROOM 7 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
15			CLASSROOM 8	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
16			CLASSROOM 8 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
17			CLASSROOM 9	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
18			CLASSROOM 9 Bathroom	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
19			CLASSROOM 10	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
20			CLASSROOM 10 BATHROOM	X	Y							X			Lead, Copper (1st Draw) 200.8 (250 mL P, UnPrev)	
Turn Around Time ; Results Due By: Date:					Matrix: DW = Drinking Water, WW =Wastewater, SL = Sludge, S=Soil, SW=Surface H2O, GW = Ground H2O, WST=Waste											
Relinquished by: _____		Date: 11/16/16	Time: 2:35	Received By: _____		Relinquished by: _____		Date: _____	Time: _____	Received for Laboratory by: _____						
Lab Use: _____		Samples Collected by Customer: [X]			Samples Collected By NJAL Field Services []			Samples Delivered to Lab by Customer: []			Samples Delivered to Lab by NJAL Field Services: [X]					

Cooler Temp $15.4^{\circ}\text{C} + \text{CF} + 0.1^{\circ}\text{C} = 15.5^{\circ}\text{C}$
 pH Verified $\text{Y} \text{ } \text{N/A}$
 Aq. Pest, pH 5-9 Y N N/A
 pH Adjustment _____
 Chlorine Present Y N N/A
 VOA Headspace Y N N/A

LABORATORY SERVICES

380 Scotch Rd. Building 2 Suite 1B Ewing, NJ 08628 Phone: 609-737-3477 Fax: 609-737-3052 www.NJAL.com or www.InternationalHydronics.com

CHAIN OF CUSTODY

CLIENT: BCCAP -Burlington Co. Community Action Program					PRESERVATIVE					COMMENTS	Collected By: Customer		pH Verification		
CONTACT NAME: Linda Williams-Barns Phone: 267-226-8875											Signature:				
<i>Client Report & Bill to Address:</i> BCCAP -Burlington Co. Community Action Program										Organization:					
718 - Route 130 South, Burlington NJ 08016 Attn: Linda Williams-Barns, Director, Phone: 267-226-8875 Email: lwilliams-barnes@bccap.org										Turn-Around Time: STANDARD					
<i>Project Name:</i> NJ Child Care - N.J.A.C. 3A:52-5.3 - Lead & Copper QUOTE # 18668										Child Care - N.J.A.C. 3A:52-5.3 (2017) - Lead & Copper					
Delanco Center - BCCAP - 2431 Burlington Ave, Delanco, NJ 08075										Lab to preserve samples on receipt.					
Lab Use	Date	Time	Sample Identification	Grab	1st Draw Y/N	Flushed Y/N	Seconds Flushed	H2SO4	HNO3 Nitric Acid	Caustic NaOH	HCL	Un-Preserved, Cool 4°C		Other	Sterile - Sodium ThioSulfate, 4°C
~~~~~ ANALYSIS REQUESTED ~~~~~															
21	11/16/18	7:30	Kitchen Faucet By Stove	X	Y							X			Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)
22			Kitchen 2 Compartment	X	Y							X			Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)
23			Dishwasher Sink	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
24			Water Fountain	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
25			Kitchen 3 Compartment ^{sink}	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
26			CLASSROOM 11	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
27			CLASSROOM 11 Bathroom	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
28			CLASSROOM 12	X	Y							X		Lead, Copper ( 1st Draw) 200.8 ( 250 mL P, UnPrev)	
29			CLASSROOM 12 Bathroom												
<b>Turn Around Time : Results Due By: Date:</b>					Matrix: DW = Drinking Water, WW=Wastewater, SL = Sludge, S=Soil, SW=Surface H2O, GW = Ground H2O, WST=Waste										
Relinquished by:		Date	Time	Received By:		Relinquished by:		Date	Time	Received for Laboratory by:					
		11/16/18	7:30												
Lab Use:	Samples Collected by Customer: [ X ]			Samples Collected By NJAL Field Services: [ ]			Samples Delivered to Lab by Customer: [ ]			Samples Delivered to Lab by NJAL Field Services: [ X ]					

Cooler Temp  $15.4^{\circ}\text{C} + 0.1^{\circ}\text{C} = 15.5^{\circ}\text{C}$   
 pH Verified   >10 N/A  
 Aq. Pest, pH 5-9 Y N N/A  
 pH Adjustment _____  
 Chlorine Present Y N N/A  
 VOA Headspace Y N N/A